

### **International Talent Search Examination-II**

Total Questions: 40 Marks: 80 Times: 1 hr

- 1. Most Common cause of Wrist Drop
  - A. Trauma
  - B. Injection Deltoid
  - C. Leprosy
  - D. Tuberculosis
- 2. Fastest Conductor is present in which
  - A. SA Node
  - B. AV Node
  - C. Bundle of Hiss
  - D. Purkinje Fibres
- 3. Site of action of ADH (Anti diuretic hormone) is
  - A. Glomerulus
  - B. PCT
  - C. DCT
  - D. Collecting duct
- 4. Spirometry measures all except
  - A. Vital Capacity
  - B. Inspiratory Reserve Volume
  - C. Functional Residual Capacity
  - D. Functional residual Volume



5. Which tissue has highest amount of Glycogen

6. Increase prothrombin time is seen in deficiency of all except

A. MuscleB. LiverC. KidneyD. Brain

A. Factor 2

В.	Factor 7
C.	Factor 9
D.	Factor 10
7. All c	hanges are seen in Acute M.I except
A.	CPK ↑
В.	SGOT↑
C.	LDH ↑
D.	SGPT ↑
8. Toxi	c shock syndrome is due to which vaccine
A.	Mumps
В.	Salk
C.	Sabin
D.	Measles
9. All a	re STD except
A.	Syphilis
В.	Hepatitis B
C.	Chancroid
D.	Mumps

Page 2



- 10. Beta blocker that can be used in renal failure
  - A. Propranolol
  - B. Pindolol
  - C. Sotalol
  - D. Oxyprenolol
- 11. Potassium sparing diuretic are all except
  - A. Spironolactone
  - B. Amiloride
  - C. Triameterene
  - D. Frusemide
- 12. Important side effects of Isoniazid therapy tuberculosis are mainly related to
  - A. CVS
  - B. Nervous system
  - C. Endocrine system
  - D. Respiratory system
- 13. Patechial Haemorrhage is not seen in
  - A. Drowning
  - B. Thrombocytopenia
  - C. Heavy Metal Poisoning
  - D. Shock
- 14. Methyl alcohol poisoning is best treated by
  - A. Sodium Bicarbonate
  - B. Ethyl alcohol
  - C. Disulfiram
  - D. Atropine



15. In gastric lavage tube is passed upto

1	Α.	25 cm	
ı	В.	40 cm	
(	C.	50 cm	
I	D.	60 cm	
16. \	Wh	nich Vitamin act as Harmone	
,	A.	Vit D	
ı	В.	Vit A	
(	C.	Vit C	
ı	D.	Vit K	
17.	7. Transplacental Passage occurs in		
,	A.	Filaria	
I	В.	Relapsing Fever	
(	C.	Malaria	
ı	D.	Plague	
		currence of cases complaining of diplopia, dysphagia, dysarthria, blurring vision & muscleess could be due to	
,	A.	Diphtheria	
ı	В.	Botulism	
(	C.	Infantile Beriberi	
ĺ	D.	Chemical poisoning	
19. I	Pul	sus Paradoxus is seen in	
,	A.	Pericardial Effusion	
ı	В.	Myxoedema	
(	C.	Anaemia	
1	D.	CHF	



- 20. A 26 year old asymptomatic woman is found to have arrthymias and systolic murmur associated with midsystolic clicks; which investigation would you use:
  - A. Electrophysiological Testing
  - B. Tc scan
  - C. Echocardiography
  - D. Angiography
- 21. Osteoporosis is seen in all except
  - A. Hyper parathyroidism
  - B. Hypo parathyroidism
  - C. Hyper thyroidism
  - D. Cushing disease
- 22. Alkaline phosphatase is increased in all except
  - A. Obstructive jaundice
  - B. Prostate carcinoma
  - C. Carcinoma liver
  - D. Carcinoma of lungs
- 23. Wilson's disease is characterized by all except
  - A. Spasticity
  - B. Sensory loss
  - C. Rigidity
  - D. Cholera
- 24. Which is autoimmune disease?
  - A. P. vulgaris
  - B. Lichen planus
  - C. Lupus vulgaris
  - D. Impetogo



- 25. Shortest acting muscle relaxant
  - A. Curare
  - B. Gallamine
  - C. Pancuroniym
  - D. Succinylcholine
- 26. A patient with pneumonia for 5 days admitted to hospital. He suddenly ceases to recognize doctor and staff and think that he is in jail. He complains of scorpions attacking him, is in altered sensorium: condition is:
  - A. Acute delirium
  - B. Acute dementia
  - C. Acute schizophrenia
  - D. Acute paranoid
- 27. If brocas area is involved all are true except
  - A. Impaired comprehension
  - B. Impaired repetition of language
  - C. Impaired naming
  - D. Decreased fluency
- 28. Most common cause of post menopausal bleeding
  - A. Endometriosis
  - B. Uterine Ca
  - C. Ovarian Ca
  - D. Endometrial Ca
- 29. A pregnant woman having mitral stenosis is most likely to develop cardiac failure by
  - A. 32 weeks
  - B. 1<sup>st</sup> stage of labour
  - C. 3<sup>rd</sup> stage of labour
  - D. 4<sup>th</sup> stage of labour



- 30. Rhinophyoma is caused by
  - A. Viral
  - B. Bacteria
  - C. Fungal
  - D. None
- 31. Acute otitis media in children most commonly due to
  - A. Morexilla catarrhalis
  - B. T. Influenzae
  - C. Streptococcus pneumonia
  - D. Staphylococcus aureus
- 32. VI Nerve palsy Causes
  - A. Crossed Diplopia
  - B. Uncrossed Diplopia
  - C. Both
  - D. None
- 33. Sunflower cataract is found in
  - A. Wilson Disease
  - B. Diabetes
  - C. Glucoma
  - D. Galactossemic
- 34. T.B of vertebrae starts in
  - A. Nucleus pulposus
  - B. Body Vertibrae
  - C. Ligaments
  - D. Cartilage



- 35. String sign is seen in
  - A. Ulcerative Colitis
  - B. Crohns Disease
  - C. Ca to Esophagus
  - D. TB of ileum
- 36. Most common cause of neonatal death is
  - A. Malnutrition
  - B. Anaemia
  - C. Prematurity
  - D. Birth Trauma
- 37. Low birth weight include
  - A. All infants below 2.5 kg
  - B. Premature below 2.5 kg
  - C. All infants below 2 kg
  - D. All premature below 2 kg
- 38. Most common cause of facial nerve injury
  - A. Bell's Palsy
  - B. Viral Infection
  - C. Trauma
  - D. latrogenic
- 39. Most common Hernia in female
  - A. Umbilical
  - B. Inguinal
  - C. Femoral
  - D. Icisional



40. In head injury increased intracranial pressure can be reduced by using all of the following except

- A. Manitol
- B. Urea
- C. Hyaluronidase
- D. Steroids